



FLOORING SOLUTIONS

Made in Germany



CONTENTS

[INDEX]	4
[GERRIETS SOLUTIONS]	5
[FLOORING SOLUTIONS]	6
INTRO	8
FLOORING GLOSSARY.....	10
FLOORS COMPARISON AND SELECTION GUIDE.....	11
[DANCE, EVENT AND EXHIBITION FLOOR]	12
VINYL FLOOR	
VARIO CLASSIC	14
VARIO 2.0.....	18
VARIO 2.4.....	22
VARIO MET	26
VARIO REFLECT	30
VARIO HIGH GLOSS.....	34
VARIO TRANSPARENT	38
VARIO PRINT	42
VARIO COLOUR.....	48
FLOORS WITH FOAMED BACK	
VARIO UNI	52
VARIO BRILLIANCE / MET.....	56
VARIO GRIP	60
VARIO ALLROUND	64
[SPRUNG FLOOR]	68
VARIO ERGODANCE	68
[DANCE FLOOR PANELS].....	72
OAK PARQUET	72
BEECH LAMINATE.....	72
[STAGE CLOTHS]	76
SAMOS / PLUS	76
ELBA / PLUS.....	76
MALTA	76
[STAGE- AND TRADE SHOW CARPET]	80
EXPO	80
[Accessories]	84
[THE COMPANY]	90

[INDEX]

A

Accessories84

B

BEECH LAMINATE72

C

Cleaning Set89

Company90

D

Dance Floor12

DANCE FLOOR PANELS72

Dimensional stability10

E

ELBA76

ELBA PLUS76

Event Floor12

Exhibition Floor12

EXPO80

F

Floors Comparison11

FLOORS WITH FOAMED BACK52

G

GAFFGUN86

Gerriets Worldwide92

Ground ABC10

I

Intro 8

M

MALTA76

O

OAK PARQUET72

S

SAMOS76

SAMOS PLUS76

Selection Guide11

Slide class10

SPRUNG FLOOR68

STAGE CLOTHS76

Stage- and Trade Show Carpet80

T

Tape Roller GAFFGUN86

Trade Show Carpet80

V

VARIO 2.018

VARIO 2.422

VARIO ALLROUND64

VARIO BRILLIANCE56

VARIO CLASSIC14

VARIO COLOUR48

VARIO ELASTIC89

VARIO ERGODANCE68

VARIO GRIP60

VARIO HAFT88

VARIO HIGH GLOSS34

VARIO MET26

VARIO PRINT42

VARIO REFLECT30

VARIO TAPE87

VARIO TRANSPARENT38

VARIO TRANSPORT SYSTEM88

VARIO UNI52

Vinyl Floor14

W

World of Flooring46

[GERRIETS SOLUTIONS]

Further publications of our Gerriets Solutions series:




TEXTILE SOLUTIONS*



SCREEN SOLUTIONS



TECHNICAL SOLUTIONS



ACOUSTIC SOLUTIONS



INTERIOR ACOUSTIC SOLUTIONS

Secure your personal copies of our Gerriets Solutions series today.

You can request them quickly and easily by calling +49 (0) 7665 960 0 or by emailing info@gerriets.com.

* Published 04/2019



//Photo: Copyright Christopher Peddecord 2009

[FLOORING SOLUTIONS]

Gerriets Flooring Solutions are known worldwide for their excellent quality and durability. What began more than four decades ago with the introduction of the VARIO CLASSIC dance floor has developed into a comprehensive range of products.

Today we offer a large selection of high-quality and first-class dance and event and sprung floors along with stage and expo carpets and floor cloths for temporary and permanent applications.

We have floors for almost every style of dance, including ballet, contemporary dance, flamenco, hip-hop, tap dance and jazz. Theatres, stage productions, exhibitions, trade fairs, fashion shows and film productions also make use of Gerriets Flooring Solutions.

Whether you are looking for matte, high-gloss, reinforced, individually printed, reflective, ergonomic or chromakey floors, we have the right floor for you.

Gerriets Flooring Solutions – dance and feel good!

INTRO

Our Goal

As one of the largest manufacturers of dance floors, sprung floors and fabric floor coverings worldwide, we attach great importance to the reliability and durability of the materials, but more importantly, to the well-being and health of the dancers.

More than 70 years of experience in dance and on stage has driven us to constantly develop new floors that are gentle on the body.

Our journey

We have developed VARIO ERGODANCE, an optimised, stable and elastic sprung floor – tested according to the sports floor standard and ideal for the stage, the rehearsal hall or the dance studio.

The VARIO ALLROUND dance floor was developed by dancers, for dancers. Gerriets, in cooperation with the Gregor Seyffert dance company, developed a floor with increased slip resistance and shock absorbing cushioning.





[FLOORING SOLUTIONS]

FLOORING GLOSSARY

Foam Backing

The foamed backing serves for a more comfortable use of the dance floor for the user. A dance floor with a foam layer is considered to be particularly easy on the joints and tendons. A fiber reinforcement makes the floor with a foamed rear side dimensionally stable.

Floors with foamed backing include: VARIO UNI, VARIO BRILLIANCE / MET, VARIO GRIP, VARIO ALLROUND.

Dimensional stability

A dance floor is dimensionally stable if it remains the same size under changing environmental conditions, that is, it neither contracts nor expands at high or low temperatures.

Doubling

Doubling is the joining of two films (top and bottom film) under heat without inlay or reinforcement. During the doubling process, two superimposed films (upper and lower film) are heated up to the thermoplastic area by means of two heating cylinders, so that after introduction into an embossing unit under pressure a homogeneous connection of the upper and lower film is produced.

Marley Floor

PVC dance floors for performances and rehearsal rooms are often referred to as "Marley Floor". In fact, "Marley Floors" have not been available for decades. The Marley Flooring range included a wide range of floor coverings, including the favourite floor covering of ballet dancers – a rolled PVC floor. Despite the fact that production of the "Marley Floor" was discontinued, the term is still often used today for any PVC surface – including the complete range of the popular Gerriets dance floors such as VARIO CLASSIC.

PVC flooring

PVC floors, i.e. floors made of polyvinyl chloride, include:

VARIO CLASSIC, VARIO 2.0, VARIO 2.4, VARIO MET, VARIO REFLECT, VARIO LACK, VARIO TRANSPARENT, VARIO PRINT, VARIO COLOUR.

Slip resistance class

Slip classes are defined according to the DIN 51130 test standard. These are divided into: "without slip class", R9, R10, R11, R12, R13. The higher the slip class, the better the slip resistance.

[FLOORING SOLUTIONS]

FLOORS COMPARISON AND SELECTION GUIDE

	Contemporary	Classic Ballett	Flamenco / Irish / Tap	Aerobic / Zumba	Theatre / Opera Stage	Dance Studios	Exhibition / Fairs	Design / Creative	Permanent installation	Portable	Flame retardant according to DIN 4102-1	Flame retardant according to DIN EN 13501-1
VINYL FLOOR												
VARIO CLASSIC 160	😊😊	😊😊	😊	😊	😊😊	😊	😊	😊😊	😊	😊😊	✓	✓
VARIO CLASSIC 200	😊😊	😊😊	😊	😊	😊😊	😊	😊	😊😊	😊	😊😊	✓	✓
VARIO 2.0	😊😊	😊😊	😊	😊	😊😊	😊😊	😊	😊😊	😊😊	😊		✓
VARIO 2.4	😊😊	😊😊	😊😊	😊	😊😊	😊😊	😊	😊😊	😊😊	😊		✓
VARIO MET	😊	😊	😊	😊	😊😊	😞	😊	😊😊	😞	😊😊		✓
VARIO REFLECT	😊	😊	😞	😊	😊	😞	😊	😊😊	😞	😊😊		✓
VARIO HIGH GLOSS	😊	😊	😊	😊	😊😊	😞	😊	😊😊	😞	😊😊		✓
VARIO TRANSPARENT	😊	😊	😊	😊	😊😊	😊	😊😊	😊😊	😞	😊😊		✓
VARIO PRINT	😊	😊	😊	😊	😊😊	😞	😊😊	😊😊	😞	😊😊		✓
FLOORS WITH FOAM BACKING												
VARIO COLOUR satin finish	😊😊	😊😊	😊	😊	😊😊	😊	😊	😊😊	😊	😊😊		✓
VARIO COLOUR high-gloss finish	😊	😊	😊	😊	😊😊	😞	😊	😊😊	😞	😊😊		✓
VARIO UNI	😊	😊	😊😊	😊😊	😊😊	😊	😊😊	😊😊	😊😊	😊		✓
VARIO GLANZ	😊	😊	😊	😊	😊😊	😞	😊😊	😊😊	😊	😊		✓
VARIO GLANZ MET	😊	😊	😊	😊	😊😊	😞	😊😊	😊😊	😊	😊		✓
VARIO GRIP	😊	😊	😊	😊	😊	😞	😊😊	😊😊	😊	😊		✓
VARIO ALLROUND	😊😊	😊	😊😊	😊😊	😊😊	😊	😊😊	😊	😊😊	😊	✓	✓
SPRUNG FLOOR												
VARIO ERGODANCE	😊😊	😊😊	😊😊	😊	😊😊	😊😊	😊	😊	😊😊	😊😊		
DANCE FLOOR PANELS												
OAK PARQUET	😊😊	😊😊	😊😊	😊	😊	😊	😊😊	😊	😊😊	😊😊		
BEECH LAMINATE	😊😊	😊😊	😊😊	😊	😊	😊	😊😊	😊	😊😊	😊😊		

😊😊 = Excellent 😊 = Acceptable ✓ = Certificate report available
 😊 = Very good 😞 = Not recommended

This table only serves as selection guide for choosing the right floor and does not replace a product test.

We will be pleased to send you our colour card with all technical details and various samples of the required floor.

You can request the samples by calling +49 7665 960 0 or via emailing info@gerriets.com.



[DANCE, EVENT AND EXHIBITION FLOOR]

If you are looking for the right floor for your dance studio, trade fair, event, stage design or an art installation – then Gerriets is the right place for you.

Choose from an extensive range of dance, event and exhibition floors.



[DANCE, EVENT AND EXHIBITION FLOOR]

VINYL FLOOR

VARIO CLASSIC

The Original Reversible Floor!

VARIO CLASSIC is an extremely durable and versatile dance floor with a matte surface that can be used on both sides.

The individual panels of the dance floor can either be secured together with our matching VARIO TAPE or taped with our transparent tape.


VARIO CLASSIC is available in six different colour combinations and – depending on width – in different piece lengths.

VARIO CLASSIC has proven itself on the theatre and opera stage for decades and the dance floor can often be found in dance studios and touring applications.


Technical Data

	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO CLASSIC	1.2 mm (0.05")	PVC	160/200 cm (63"/78")	1,600 g/m ² (2.95 lbs/yd ²)	20.0 / 30.0 / 40.0 m (21.9 / 32.8 / 43.7 yds)			•			•


Colours & Floor construction



Black-White



Grey-Brown



Black-Grey




Grey Blue-Green



Chromakey Green-Chromakey blue



Red-Beige



- 1 PVC Layer / Wear Layer
- 2 PVC Layer / Wear Layer

Street Dance Story

Description

- 80.0 square meters (860 sq ft) reversible dance floor VARIO CLASSIC for the dance contest "Street Dance Story"; colour-combination: black-grey.

Client

Stowarzyszenie Arteo

Location

Breslau / Poland







[DANCE, EVENT AND EXHIBITION FLOOR]

VINYL FLOOR

VARIO 2.0

Unmatched Durability for Touring, Stage and Studio!


VARIO 2.0 has a silky matte surface that is dimensionally stable without the need for a fiber reinforcement layer.

With its high durability, VARIO 2.0 is perfect for touring productions and all dance styles.

Technical Data

	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO 2.0	2.0 mm (0.08")	PVC	200 cm (79")	2,600 g/m ² (4.79 lbs/yd ²)	15.0 / 20.0 m (16.4 / 21.9 yds)			•			

Colours & Floor construction



Black




White



Grey



Dark grey



- 1 PVC Layer / Wear Layer
- 2 PVC Layer

A fiber reinforcement layer was deliberately dispensed within the design. This is based on an asynchronous doubling of solid material to achieve dimensional stability and the best possible damping behaviour.

Den Norsk Opera

Description

- VARIO 2.0 silky matte floor in colour black.

Client

Den Norske Opera

Location

Oslo / Norway







//Photo: Altes Schauspielhaus Stuttgart

[DANCE, EVENT AND EXHIBITION FLOOR]

VINYL FLOOR

VARIO 2.4

The Robust Reversible Floor!

VARIO 2.4 is the most durable and dimensionally stable of our floors, even without a fiber reinforcement layer.

Like VARIO 2.0, VARIO 2.4 has a silky matte surface which, unlike the VARIO 2.0, can be used on both sides.


Generally, we recommend this floor for stationary use, either floating or firmly glued.

VARIO 2.4 is the perfect companion for our VARIO ERGODANCE sprung floor.


Technical Data

	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO 2.4	2.4 mm (0.09")	PVC	160 cm (63")	3,200 g/m ² (5.76 lbs/yd ²)	15.0 / 20.0 m (16.4 / 21.9 yds)			•			


Colours & Floor construction



Black-White



Grey-Dark grey



- 1 PVC Layer / Wear Layer
- 2 PVC Layer / Wear Layer

Euro Dance Festival

Description

- Black-white VARIO 2.4 reversible and matte dance floor was used for Europe's biggest dance event "Euro Dance Festival". It was held in the famous theme park Europapark in Rust.
- Performance of the Dance Company "Diamond Dust".

Client

Tanzschule Gutmann

Location

Rust / Germany







[DANCE, EVENT AND EXHIBITION FLOOR]

VINYL FLOOR

VARIO MET

The Classic Mirrored Floor!

The first mirror floor ever produced for the market.

It's durability is due to the structured mirrored surface that makes it less sensitive to blemishes.

It is frequently used on stage in theatres and opera houses, at fashion shows and in ballet productions.


Technical Data

	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO MET	1.2 mm (0.05")	PVC	160 cm (63")	1,600 g/m ² (2.95 lbs/yd ²)	30.0 / 40.0 m (32.8 / 43.7 yds)			•			

Colours & Floor construction



Silver-matte



- 1 PET film transport protective layer / Wear Layer
- 2 PET film silver
- 3 PVC Layer

Unleashed

Description

- Stage production of the dance show "Unleashed" using the durable silver metallic dance floor VARIO MET.

Venue

Barbican Theatre

Client

Barbican Centre / Boy Blue Entertainment

Location

London / Great Britain







[DANCE, EVENT AND EXHIBITION FLOOR]

VINYL FLOOR

VARIO REFLECT

The Magical Mirrored Floor!

Thanks to its smooth and mirrored surface, VARIO REFLECT looks almost like a horizontal mirror and has a wide range of applications in the art and event sector.

VARIO REFLECT is often chosen as a special design element at fashion shows, major events and in sophisticated set design at film and TV shows.

Technical Data

	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO REFLECT	1.1 mm (0.05")	PVC	140 cm (55")	1,400 g/m ² (2.58 lbs/yd ²)	25.0 m (27.3 yds)			•			


Colours & Floor construction



Silver, smooth, reflective



Gold, smooth, reflective



- 1 PET film transport protective layer / Wear Layer
- 2 PET film gold or silver
- 3 PVC Layer

THE BITTER TEARS OF PETRA VON KANT

Description

- 35.0 m² (377 sq ft) of VARIO REFLECT dance floor was used for the play "The bitter tears of Petra von Kant" by Rainer Werner Fassbinder.
- Used upstage, a 9.0 x 4.0 m (30 x 13 ft) MACAU CLASSIC string curtain was custom printed according to customer requirements to create a unique backdrop.


Client

Stadttheater Aachen

Location

Aachen / Germany







[DANCE, EVENT AND EXHIBITION FLOOR]

VINYL FLOOR

VARIO HIGH GLOSS

The Classic HIGH-GLOSS Floor!

High-gloss, robust and beautiful.

A popular dance floor especially for ballet productions as well as theatre and opera stages.

It is also popular in the event and fashion sector and, despite its high-gloss finish, it has a surprisingly robust surface.

Technical Data

	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO HIGH GLOSS	1.5 mm (0.06")	PVC	160 cm (63")	1,900 g/m ² (3.5 lbs/yd ²)	20.0 / 30.0 m (21.9 / 32.8 yds)			•			


Colours & Floor construction



Black, high gloss



White, high gloss



- 1 PET film transport protective layer / Wear Layer
- 2 PVC Layer

MEET ME AT DAWN

Description

- Dance and design floor VARIO HIGH GLOSS; dimensions of the floor: 8.0 x 8.0 m (26 x 26 ft); in black.
- Manufacture of a cyclorama backdrop made from rear projection screen TRANSMISSION for the theatrical production "Meet me at dawn"; dimensions of the projection screen: 10.0 x 2.2 m (33 x 7 ft).

Client

Dot Theatre Istanbul

Location

Istanbul / Turkey







[DANCE, EVENT AND EXHIBITION FLOOR]

VINYL FLOOR

VARIO TRANSPARENT

The Invisible Floor!

The VARIO TRANSPARENT design floor is versatile and creative.

VARIO TRANSPARENT is often used as a protective floor on existing, particularly beautiful and sensitive floors.

It is also used as a decorative floor for special designs. VARIO TRANSPARENT can also be used as a floor that can be illuminated through or under LED panels.


Technical Data

	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO TRANSPARENT	1.1 mm (0.04")	PVC	160 cm (63")	1,350 g/m ² (2.5 lbs/yd ²)	30.0 m (32.8 yds)			•			

Colours & Floor construction



Clear



- 1 Homogeneous, transparent PVC Layer / Wear Layer
- 2 Homogeneous, transparent PVC Layer
- 3 Homogeneous, transparent PVC Layer

Miss Turkey

Description

- Production of the stage set of the event "Miss Turkey" using 360.0 m² (3.875 sq ft) of the design floor VARIO TRANSPARENT.
- Usage of a multi-part star curtains ShowLED ANIMATION; dimensions of the curtains: 25,0 x 7,0 m (82 x 23 ft).

Client

Benart Sound-Light-Vision-Stage System

Location

Istanbul / Turkey







[DANCE, EVENT AND EXHIBITION FLOOR]

VINYL FLOOR

VARIO PRINT

The Custom Floor!

With our VARIO PRINT you create your personally and exclusively design floor. Simply submit us your personalized design.

VARIO PRINT is printed with UV-curing and UV-stable inks.


Technical Data

	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO PRINT	1.2 mm (0.05")	PVC	190 cm (75")	1,600 g/m ² (2.95 lbs/yd ²)	20.0 m (21.7 yds)			•			

Colours & Floor construction



Design example



- 1 UV ink layer / Wear Layer
- 2 PVC Layer
- 3 PVC Layer

THE EMPEROR'S NEW CLOTHES

Description

- Dance and design floor VARIO PRINT used as the central design element of the classic fairy tale "The Emperor's new clothes" by Hans Christian Andersen.
- Dimensions of the design floor: approx. 7.8 x 7.5 m (26 x 25 ft).

Direction

Roman Freigaßner-Hauser

Client

Theater Rabenhof

Location

Vienna / Austria





[WORLD OF FLOORING]



Learn more
about our Gerriets
Flooring Solutions!





[DANCE, EVENT AND EXHIBITION FLOOR]

VINYL FLOOR

VARIO COLOUR

The Colourful Floor!

The VARIO COLOUR event floor impresses with its variety of colours. Each RAL colour, whether in satin or high-gloss finish, is available from 210 running metres.

The silky matte version of the design floor is dimensionally stable thanks to a fiber reinforcement layer.

Technical Data											
	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO COLOUR	1.2 mm (0.05")	PVC	160 cm (63")	1,600 g/m ² (2.95 lbs/yd ²)	30.0 m (32.8 yds)			•			


Colours & Floor construction




RAL, satin finish



RAL, high-gloss finish



- 1 Colour layer, silk matt, dyed according to customer requirements / Wear Layer
- 2 Homogeneous PVC Layer
- 3 Fiber reinforcement layer for dimensional stabilization
- 4 Homogeneous, foamed PVC layer
- 5 Homogeneous PVC Layer



- 1 Colour layer, high-gloss, dyed according to customer requirements / Wear Layer
- 2 Homogeneous PVC Layer
- 3 Homogeneous PVC Layer

Contemporary Arts Center

Description

- Art installation in artist Ugo Rondinone's colour spectrum series, titled "Let's start this day again".
- Over 1,430 m² (5,400 sq ft) of VARIO flooring, including standard VARIO CLASSIC 160 black-white and custom dyed VARIO COLOUR in satin finished, neon red and neon yellow, covering two entire floors of the art museum in bright colours.

Artist

Ugo Rondinone

Client

Contemporary Arts Center

Location

Cincinnati, OH / USA







//Photo: Philipp Arnoldt, VoLA StageArt Company

[DANCE, EVENT AND EXHIBITION FLOOR]

FLOORS WITH FOAM BACKING

VARIO UNI

The Universal Floor!



















In addition to its dimensional stability due to a fiber reinforcement layer and a foamed back that protects joints and tendons, our VARIO UNI dance floor is characterised by its wide range of colours.

VARIO UNI can be used on one side and has a matte surface structure.

The dance floor is durable and forgiving with low weight and is suitable for touring.

Technical Data											
	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO UNI	2.0 mm (0.08")	PVC	200 cm (78")	1,300 g/m ² (2.4 lbs/yd ²)	25.0 m (27.3 yds)			•			

Colours & Floor construction

				
Beige	Yellow	Orange	Red	
				
Green	Horizon blue	Capri blue	Ultramarine blue	
				
Navy blue	Signal white	White	Platinum grey	
				
Stone grey	Mouse grey	Iron grey	Anthracite	Black

Rockin' Road to Dublin

Description

- A stage production that features a fusion of both rock and Irish music coupled with Irish Step Dance.
- Over 295.0 m² (3,190 sq ft) of VARIO UNI in iron grey for use as their touring dance floor.

Client

Rockin' Road to Dublin

Location

USA Tour







//Photo: Yanis Ourabah

[DANCE, EVENT AND EXHIBITION FLOOR]

FLOORS WITH FOAM BACKING

VARIO BRILLIANCE / MET

The High Shine Floor with Cushion!

Whether BRILLIANCE or BRILLIANCE MET: a feast for the eyes on every stage or the catwalks of this world!

Modern, refined yet easy to install - and forgiving at the same time. The effect floors give every presentation a special flair.

Technical Data											
	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO BRILLIANCE	2.0 mm (0.08")	PVC	150 cm (59")	1,300 g/m ² (2.4 lbs/yd ²)	25.0 m (27.3 yds)						
VARIO BRILLIANCE MET	1.6 mm (0.06")										

Colours & Floor construction

VARIO BRILLIANCE



White




Light grey




Dark grey




Mouse grey



Black



Orange



Red



Blue


VARIO BRILLIANCE MET



Silver



Gold



- 1 Protective layer for easy cleaning / Wear Layer
- 2 Colour Layer
- 3 Colour coordinated base layer with fiber reinforcement for dimensional stabilisation
- 4 Colour coordinated foam backing

Da Rookies Trailer

Description

- 64.0 square meters of the dance floor VARIO BRILLIANCE for the trailer production "Classic meets Breakdance" of the Breakdance World Champions Da Rookies.

Client

Da Rookies Entertainment

Location

Magdeburg / Germany







[DANCE, EVENT AND EXHIBITION FLOOR]

FLOORS WITH FOAM BACKING

VARIO GRIP

The Exhibit and Outdoor Floor!


With its subtly textured surface (slip class 11), this floor offers excellent grip even in damp or wet conditions.

It is often used at trade fairs and in temporary outdoor areas.

VARIO GRIP is also used on inclines within a stage set when a higher slip resistance is required.

Technical Data											
	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO GRIP	2.0 mm (0.08")	PVC	200 cm (78")	1,350 g/m ² (2.48 lbs/yd ²)	30.0 m (32.8 yds)			•			

Colours & Floor construction



- 1 PU-Coating
- 2 Wear Layer
- 3 Colour Layer
- 4 Base layer with fiber reinforcement for dimensional stability
- 5 Foam Backing

SHOWTECH – Gerriets Trade Show Booth

Description

- Installation of the VARIO GRIP on the Gerriets trade show booth; in various colours.

Location

Berlin / Germany



Gerriets Floor Show

new floors for fairs, events & theater





[DANCE, EVENT AND EXHIBITION FLOOR]

FLOORS WITH FOAM BACKING

VARIO ALLROUND

Developed by dancers for dancers!

The VARIO ALLROUND dance floor was developed by dancers for dancers by Gerriets in cooperation with the Gregor Seyffert & Compagnie.


VARIO ALLROUND offers the dancer more safety and comfort due to its high elasticity and slip resistance with joint-gentle damping layer (slip class R10).

VARIO ALLROUND is suitable for all dance styles due to its shock-absorbing properties in combination with its dimensional stability achieved by a fiber reinforcement layer.


Technical Data

	Thickness	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO ALLROUND	3.65 mm (0.14")	PVC	200 cm (78")	2,600 g/m ² (5 lbs/yd ²)	19.7 m (21.5 yds)			•			

Colours & Floor construction



Black



- 1 Protective layer for easy cleaning
- 2 Heavy duty transparent wear layer
- 3 Floor colour layer
- 4 Colour coordinated middle compact layer
- 5 Colour coordinated base layer with fiber reinforcement for dimension stability
- 6 Colour coordinated foam backing

Gregor Seyffert & Compagnie

Description

- Dance floor VARIO ALLROUND used by the Gregor Seyffert & Compagnie.

Client

Gregor Seyffert & Compagnie

Location

Berlin / Germany







[SPRUNG FLOOR]

Easy on the Joints!

Whether for permanent installation or touring use – VARIO ERGODANCE, the advanced and elastic sprung floor is designed for all styles of dance and has been tested according to the sports floor standard.

VARIO ERGODANCE combines optimum, joint-gentle damping characteristics with the highest quality materials, a completely new eccentric locking system and fast assembly times thanks to a sophisticated tongue and groove system with guide.

VARIO ERGODANCE is ideal for use in conjunction with our VARIO 2.4 dance floor.


We also offer a version with an elastomer protection layer for touring use.

Technical Data											
	Thickness	Material	Width approx.	Length approx.	Weight approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
VARIO ERGODANCE	39.0 mm (1.5")	Mix	100 cm (39")	100 cm (39")	15.0 kg (33 lbs)						
				200 cm (78")	28.5 kg (63 lbs)						


Floor construction



VARIO ERGODANCE / Theater Gießen



VARIO TRANSPORT CART



- 1 18 mm (3/4") birch veneer surface, clear-coat finish
- 2 20 mm (0.8") two-ply elastomer pads for shock damping
- 3 1 mm (0.04") elastomer protection layer

Swan Lake

Description


- Sprung floor system VARIO ERGODANCE in action for the ballet production "Swan Lake" by the ballet ensemble "Les Ballets Trockadero de Monte Carlo".
- Company Statement: "The absolute most amazing sprung deck we have ever used!"

Client

BB Promotion

Location

European Tour







[DANCE FLOOR PANELS]

The Mobile Wood Floor!

Floor panels are often used when temporary or permanently installed even surfaces need to be created on hard or uneven surfaces.

Dance floor panels are used for dances and similar events and are quickly laid and stable.

Technical Data											
	Thickness	Material	Width approx.	Length approx.	Weight approx.	Flame Retardant Classification					
						B1	M1	EN	EN*	NFPA	ASTM
OAK PARQUET	27.0 mm (1.06")	Mix	95 cm (37.4")	95 cm (37.4")	18.5 kg (40.78 lbs)						
BEECH LAMINATE											

Colours & Accessories



Oak parquet



Beech laminate



Edge Trim, Straight and Socket wrench for panel connection



Transport Cart

Summer Ball Tanzschule Gutmann

Description

- BEECH LAMINATE flooring tiles in use for the summer prom of the dance academy Tanzschule Gutmann which was held in the theme park Europapark in Rust.

Client

Tanzschule Gutmann

Location

Rust / Germany







[STAGE CLOTHS]








Light, fast and decorative!

Fabric floor cloths can be quickly laid on any stage and removed even faster, which is indispensable for productions with changing stage sets.

Our floor cloths SAMOS, SAMOS PLUS, ELBA, ELBA PLUS and MALTA can be painted and printed.

The floor cloths can be sewn, and are available with or without rubber coating for increased slip resistance on the stage surface.

Technical Data										
	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
					B1	M1	EN	EN*	NFPA	ASTM
SAMOS	Linen	210 cm (82")	530 g/m ² (15.63 oz/yd ²)	65.0 m (71.1 yds)						
SAMOS PLUS	Linen	210 cm (82")	650 g/m ² (19.17 oz/yd ²)	65.0 m (71.1 yds)						
ELBA	Cotton	210 cm (82")	525 g/m ² (15.48 oz/yd ²)	65.0 m (71.1 yds)	•		•			
ELBA PLUS	Cotton	210 cm (82")	700 g/m ² (20.65 oz/yd ²)	65.0 m (71.1 yds)	•		•			
MALTA	Cotton	300 cm (118")	400 g/m ² (11.80 oz/yd ²)	50.0 m (54.6 yds)	•					

Colours						
SAMOS / SAMOS PLUS		ELBA / ELBA PLUS		MALTA		
						
Ecru	Black	Ecru	Black	Ecru	White	Black

The flying dutchman

Description

- Painted stage cloth ELBA in usage as flooring and wall covering for the opera "The flying dutchman" by Richard Wagner; in the colour ecru.
- Dimensions of tailored stage cloth: 1 stage cloth with a size of 37.2 x 6.0 m (122 x 20 ft); 1 stage cloth with a size of 25.0 x 8.0 m (82 x 26 ft).

Client

Passionstheater

Location

Oberammergau / Germany
























[STAGE AND TRADE SHOW CARPET]

Affordable and versatile!

Our EXPO stage and trade fair carpet is used as a fast and inexpensive substrate for all types of events – whether trade fairs, weddings, mega-events or conventions.

EXPO is available in many colours and is ideal for temporary events.

Technical Data										
	Material	Width approx.	Weight approx.	Piece lengths approx.	Flame Retardant Classification					
					B1	M1	EN	EN*	NFPA	ASTM
EXPO	Polypropylene	200 cm (78")	380 g/m ² (11.21 oz/yd ²)	50.0 m (54.6 yds)			•			

Colours						
						
Yellow	Red	Wine red	Light blue	Blue	Dark blue	Light green
						
Green	Light brown	White	Light grey	Grey	Grey mottled	Anthracite
						
Graphite	Dark grey	Black				

Graduation Ball Tanzschule Gutmann

Description

- The "Red carpet" for the graduation ball of the dance academy Tanzschule Gutmann was made using our stage carpet EXPO.

Client

Tanzschule Gutmann

Location

Freiburg / Germany







[ACCESSORIES]

In addition to our floor solutions, we are proud to offer you a wide range of compatible accessories.

Choose from our extensive range of adhesive tapes. Our glossy and matte VARIO TAPES are based on our dance, event and exhibition floor's colour.

Our VARIO TRANSPORT CART is used for convenient transportation of VARIO dance and design floors.

With our innovative GAFFGUN Tape Roller you can lay cables and floors in the shortest possible time and in an upright position.

The double-sided adhesive laying grid VARIO HAFT is used for temporarily laying of floor coverings and dance floors.

The VARIO ELASTIC dance floor underlay is suitable for increasing the step elasticity.

For the care of dance and design floors we recommend our universal CLEANING KIT.

[ACCESSORIES]

Tape Roller GAFFGUN

Minimum effort – Maximum Rewards!

The GAFFGUN tape roller allows cables and dance floors to be laid in an upright position, thus protecting the back and knees. The time saved during installation is revolutionary with GAFFGUN: 80 % of the installation time can be saved with the Tape Roller.

In addition to the Tape Roller, you can choose from versatile GAFFGUN accessories such as our CABLE and FLOOR GUIDES, TAPES and TAPE ADAPTER. Alternatively, the tape roller and accessories are also available as a set (GAFFGUN bundle).



Tapes

Articles	Tape: 2" GT Pro	Tape: 2" GT Pro dry channel
Roll width	48 mm (2")	48 mm (2")
Roll lengths	50.0 m (54.7 yds)	50.0 m (54.7 yds)



Tape: 2" GT Pro



Tape: 2" GT Pro dry channel

GAFFGUN-Bundle



GAFFGUN



Cable – Guide Small



Cable – Guide Medium



Cable – Guide Large



Floor Guide



Tape Adapter Set (1", 2", 3")



Long Extension Handle

[ACCESSORIES]

VARIO TAPE

It fits every floor!

Our adhesive tapes are available VARIO TAPE, VARIO TAPE MET and VARIO TAPE BRILLIANCE to match the wide range of available colors available.

Both the high-gloss and matt adhesive tapes are coloured to match our dance, event and exhibition floors.

Our tapes are easy to apply and just as easy to remove without leaving any residue.



Technical Data

Articles	VARIO TAPE	TAPE MET	VARIO TAPE BRILLIANCE
Roll width	50 mm (2")	50 mm (2")	50 mm (2")
Roll lengths	33.0 m (36 yds)	25.0 m (27.5 yds)	50.0 m (54.7 yds)

VARIO TAPE



VARIO TAPE MET



Silver

VARIO TAPE BRILLIANCE



White

[ACCESSORIES]

VARIO TRANSPORT SYSTEM

The most innovative transport cart on the market!

For convenient transport of our VARIO dance floor. The wagon folds up quickly. Movable rungs for a maximum of eight rolls of 1.6 m or 2.0 m dance floor width. Standard design for six rollers. Quiet, Vulkollan®-coated and ball bearing mounted platform rollers with locking option.

Max. Load capacity: 1.000 kg

Colour: anthracite, powder-coated.

- 1 Stepless height adjustment
- 2 Movable roller holder
- 3 Fixed and swivel castors with roller bearings





Technical Data

Articles	VARIO 160 TRANSPORT SYSTEM		VARIO 200 TRANSPORT SYSTEM	
	6 supports	8 supports	6 supports	8 supports
Version				
Length	2,300 mm (90.55")	2,300 mm (90.55")	2,920 mm (114.96")	2,920 mm (114.96")
Width	1,042 mm (41.02")	1,042 mm (41.02")	1,042 mm (41.02")	1,042 mm (41.02")
Height	1,157 mm (45.55")	1,157 mm (45.55")	1,157 mm (45.55")	1,157 mm (45.55")
Weight	117 kg (257.9 lbs)	137 kg (302.1 lbs)	185 kg (407.9 lbs)	205 kg (451.9 lbs)

VARIO HAFT

Quick and even installation!

VARIO HAFT is a double-sided adhesive laying grid for the temporary and even laying of floor coverings and dance floors. The installation grid shows an extraordinary adhesive performance over the entire surface. VARIO HAFT can be fixed quickly and is very easy to cut. The installation grid can also be used for underfloor heating.



Technical Data

Colour	White
Roll width	100 cm (39.4")
Roll lengths	50.0 m (54.7 yds)


[ACCESSORIES]

VARIO ELASTIC

The ideal base: soft, pleasant and gentle on the joints!

The VARIO ELASTIC dance floor underlay serves to increase the step elasticity.

VARIO ELASTIC consists of 90 % PVC and 10 % polyester. The black version of the base is flame-resistant in accordance with the DIN EN 13501-1 standard.



Technical Data		
Articles	VARIO ELASTIC	
Colour	Beige	Black
Thickness	4.5 mm (0.18")	
Weight	880 g/m ² (1.62 lbs/yd ²)	
Roll width	160 cm (63")	190 cm (75")
Roll lengths	30.0 m (32.8 yds)	20.0 m (21.9 yds)

CLEANING SET

Ecologically tested universal cleaner!

The CLEANING KIT is suitable for all our PVC floor coverings and projection films and contains a 40 x 40 cm microfibre cloth and 1 litre of cleaner.

The universal cleaner is used to clean stubborn oil and grease stains, general dirt crusts and nicotine residues on all water-resistant surfaces.

Dilute between 1:1 and 1:10 with water for cleaning, depending on the degree of soiling.



Ingredient specifications (acc. EC Recommendation 89/542 EEC)	
< 5 % non-ionic surfactants	
5-15 % phosphates	
Other ingredients:	Water-soluble solvents, perfume oils, alkalis, solubilizers
Ph-value depending on application concentration	9-10.3



[THE COMPANY]

Gerriets is an expanding company with subsidiaries, distributors and sales partners in more than 20 countries. Since its founding in 1946, Gerriets has developed into a global leader in the fields of stage technology, large scale events and acoustic projects. Today, this third generation family business continues to respond to the demands of the market.

The decades of experience with the leading dancers and dance companies in the world as well as the most experienced specialists in dance medicine, combined with our technical expertise as a developer and manufacturer make us the world's leading partner for dance and sprung floors.

Benefit from our wealth of experience and get professional and individual advice from the Gerriets team.

Gerriets Flooring Solutions – dance and feel good!

[gerriets.com](https://www.gerriets.com)

Gerriets GmbH / Im Kirchenhürstle 5-7 / DE-79224 Umkirch / Tel. +49 7665 960 0 / info@gerriets.com



GERRIETS WORLDWIDE

Gerriets GmbH
gerriets.com

Gerriets Belgique
gerriets.be

Gerriets Romania
gerriets.ro

Gerriets S. A. R. L.
gerriets.fr

Gerriets Nederland
gerriets.nl

Gerriets Bulgaria
gerriets.bg

Gerriets International Inc.
gerriets.us

Gerriets Italia
gerriets.it

Gerriets Korea Co. Ltd.
gerriets.com/kr

Gerriets Great Britain Ltd.
gerriets.co.uk

Gerriets Hellas
gerriets.gr

Gerriets South Africa
gerriets.co.za

Gerriets Austria CEE GmbH
gerriets.at

Gerriets Turkey
gerriets.com/tr

Gerriets Brasil
gerriets.com/br

Gerriets Sp. z o.o.
gerriets.pl

Gerriets Slovenija
gerriets.si

Gerriets Czech Republic /
Slovakia
gerriets.cz

Gerriets España S. L.
gerriets.es

Gerriets Hungária
gerriets.hu

Gerriets Taiwan
gerriets.com

